



MAKE	PERIOD	F/R	DISK	PRICE	A	B	C	D	E	F	V/S	PAD	PRICE	SYS
VOLVO														
C30														
1.6	/2006->/	F	0804		278	25	23	48.5	63.5	5	V	0888		AT
1.8	/2006->/	F	0804		278	25	23	48.5	63.5	5	V	0888		AT
2.0	/2006->/	F	0887		300	25	23	48.5	63.5	5	V	0888		AT
2.5 T5	/2006->/	F	0898		320	25	23	48.5	63.5	5	V	0898		AT
Rear Axle	/2006->/	R	0883	39,000	280	11	9	41	63.5	5	S	1527		AT
C70 (-00)														
2.4	/1999->/2000	F	1993	55,000	280	26	23	50	68	5	V	1877	25,000	AT
2.5	6/1997->/1999	F	1993	55,000	280	26	23	50	68	5	V	1877	25,000	AT
2.0 Turbo	6/1997->/	F	1995	61,000	302	26	23	51	68	5	V	1877	25,000	AT
2.4 Turbo	/1999->/	F	1995	61,000	302	26	23	51	68	5	V	1877	25,000	AT
2.5 Turbo	6/1997->/1999	F	1995	61,000	302	26	23	51	68	5	V	1877	25,000	AT
Rear Axle	/1999->/2000	R	1994	46,000	295	9.6	8.4	72	68	5	S	0097	13,000	AT
T5 2.3 Turbo	6/1997->/	F	1995	61,000	302	26	23	51	68	5	V	1877	25,000	AT
C70 (00-02)														
2.4	/->/2002	F	1993	55,000	280	26	23	50	68	5	V	1970		AT
2.5	/->/2002	F	1993	55,000	280	26	23	50	68	5	V	1970		AT
2.0 Turbo	/->/2002	F	1995	61,000	302	26	23	51	68	5	V	1970		AT
2.4 Turbo	/->/2002	F	1995	61,000	302	26	23	51	68	5	V	1970		AT
2.5 Turbo	/->/2002	F	1995	61,000	302	26	23	51	68	5	V	1970		AT
Rear Axle	/2000->/2002	R	1994	46,000	295	9.6	8.4	72	68	5	S	1969		AT
T5 2.3 Turbo	/->/2002	F	1995	61,000	302	26	23	51	68	5	V	1970		AT
S40 II/V50 (04->)														
1.6 16v (15" wheels)	/2004->/	F	0804		278	25	23	48.5	63.5	5	V	0888		AT
1.6 16v (16" wheels)	/2004->/	F	0887		300	25	23	48.5	63.5	5	V	0888		AT
1.6 Turbo Diesel (15" wheels)	/2004->/	F	0804		278	25	23	48.5	63.5	5	V	0888		AT
1.6 Turbo Diesel (16" wheels)	/2004->/	F	0887		300	25	23	48.5	63.5	5	V	0888		AT
1.8 16v (15" wheels)	/2004->/	F	0804		278	25	23	48.5	63.5	5	V	0888		AT
1.8 16v (16" wheels)	/2004->/	F	0887		300	25	23	48.5	63.5	5	V	0898		AT
2.0 Turbo Diesel (15" wheels)	/2004->/	F	0804		278	25	23	48.5	63.5	5	V	0888		AT
2.0 Turbo Diesel (16" wheels)	/2004->/	F	0887		300	25	23	48.5	63.5	5	V	0888		AT
2.4 20v (15" wheels)	/2004->/	F	0804		278	25	23	48.5	63.5	5	V	0888		AT
2.4 20v (16" wheels)	/2004->/	F	0887		300	25	23	48.5	63.5	5	V	0888		AT
Rear Axle	/2004->/	R	0883	39,000	280	11	9	41	63.5	5	S	1527		AT
T5 2.5 Turbo 20v	/2004->/	F	0898		320	25	23	48.5	63.5	5	V	0898		AT
S40/V40 (->04)														
1.6 16v (256mm Disc)	9/1995->9/1997	F	1996	50,000	256	24	22.4	45	69	4	V	0772		LU
1.6 16v (280mm Disc)	10/1997->/2004	F	1998	52,000	280	24	22.4	45	69	4	V	0771		LU
1.8 16v (256mm Disc)	9/1995->9/1997	F	1996	50,000	256	24	22.4	45	69	4	V	0772		LU
1.8 16v (280mm Disc)	10/1997->/2004	F	1998	52,000	280	24	22.4	45	69	4	V	0771		LU
1.9 Turbo Diesel (256mm Disc)	9/1995->9/1997	F	1996	50,000	256	24	22.4	45	69	4	V	TBA		LU
1.9 Turbo Diesel (280mm Disc)	10/1997->/2004	F	1998	52,000	280	24	22.4	45	69	4	V	0771		LU
2.0 16v (256mm Disc)	9/1995->9/1997	F	1996	50,000	256	24	22.4	45	69	4	V	0772		LU
2.0 16v (280mm Disc)	10/1997->/2004	F	1998	52,000	280	24	22.4	45	69	4	V	0771		LU
2.0 Turbo (160bhp)	10/1997->/2004	F	1998	52,000	280	24	22.4	45	69	4	V	0771		LU
Rear Axle	10/1995->/2004	R	1997	43,000	260	10	8.4	41	90	4	S	0773		LU
T4 1.9 Turbo (200bhp)	6/1997->7/	F	1998	52,000	280	24	22.4	45	69	4	V	0771		LU
T4 2.0 Turbo (200bhp)	7/->/2004	F	1998	52,000	280	24	22.4	45	69	4	V	0771		LU
S60														
2.0 Turbo (286mm Disc)	/->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.0 Turbo (305mm Disc)	/->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 (286mm Disc)	/->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 (305mm Disc)	/->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo (286mm Disc)	/->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 Turbo (305mm Disc)	/->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo 4WD (286mm Disc)	/2001->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 Turbo 4WD (305mm Disc)	/2001->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo Diesel D5 (286mm Disc)	/->/	F	1920		286	26	23	50.3	68	5	V	1970		AT



MAKE	PERIOD	F/R	DISK	PRICE	A	B	C	D	E	F	V/S	PAD	PRICE	SYS
2.4 Turbo Diesel D5 (305mm Disc)	/->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo Diesel D5 (320mm Disc)	/->/	F	1990		320	28	25	50	68	5	V	1970		AT
R 2.5 Turbo 4WD	/2003->/	F	1968		330	32	30	50.3	68	5	V	2603	34,000	BR
Rear Axle - solid -	/2000->/	R	1973		288	12	10	65	68	5	S	1969		AT
Rear Axle - vented -	/2000->/2010	R	1969		330	28	26	65	68	5	V	1969		AT
T5 2.3 Turbo (286mm Disc)	/->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
T5 2.3 Turbo (305mm Disc)	/->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
S60 II / V60														
All models with 16" wheels	/2010->/	F	0886		300	28	26	52	63.5	5	V	0886		AT
All models with 17" wheels	/2010->/	F	0344		316	28	26	52	63.5	5	V	0471F		AT
Rear Axle - solid -	/2010->/	R	1937		302	11	9	40.8	63.5	5	S			
Rear Axle - vented -	/2010->/	R	1975		302	22	20	40.8	63.5	5	V			
S70/V70 (96-00)														
2.0 (280mm Disc)	11/1996->/	F	1993	55,000	280	26	23	50	68	5	V	1877	25,000	AT
2.0 (302mm Disc)	11/1996->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
2.0 Turbo	2/1997->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
2.5 (280mm Disc)	11/1996->/	F	1993	55,000	280	26	23	50	68	5	V	1877	25,000	AT
2.5 (302mm Disc)	11/1996->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
2.5 Turbo (280mm Disc)	11/1996->/	F	1993	55,000	280	26	23	50	68	5	V	1877	25,000	AT
2.5 Turbo (302mm Disc)	11/1996->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
2.5 Turbo 4WD (280mm Disc)	11/1996->/	F	1993	55,000	280	26	23	50	68	5	V	1877	25,000	AT
2.5 Turbo 4WD (302mm Disc)	11/1996->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
2.5 Turbo Diesel (280mm Disc)	11/1996->/	F	1993	55,000	280	26	23	50	68	5	V	1877	25,000	AT
2.5 Turbo Diesel (302mm Disc)	11/1996->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
R 2.3 Turbo	11/1996->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
R 2.3 Turbo 4WD	5/1997->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
Rear Axle - 283mm -	11/1996->/2000	R	1999		283	10	8	62	68	5	S	0097	13,000	
Rear Axle - 295mm -	11/1996->/2000	R	1994	46,000	295	9.6	8.4	72	68	5	S	0097	13,000	AT
Rear Axle - V Models -	11/1996->/2000	R	1975		302	22	20	40.8	63.5	5	V			
T5 2.3 Turbo (280mm Disc)	11/1996->/	F	1993	55,000	280	26	23	50	68	5	V	1877	25,000	AT
T5 2.3 Turbo (302mm Disc)	11/1996->/	F	1995	61,000	302	26	23	51	68	5	V	1995		AT
S80 (T)														
2.0 Turbo (286mm Disc)	7/1998->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.0 Turbo (305mm Disc)	7/1998->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 (286mm Disc)	7/1998->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 (305mm Disc)	7/1998->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo (286mm Disc)	6/->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 Turbo (305mm Disc)	6/->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo (320mm Disc)	6/->/	F	1990		320	28	25	50	68	5	V	1970		AT
2.4 Turbo Diesel D5 (286mm Disc)	/2001->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 Turbo Diesel D5 (305mm Disc)	/2001->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.5 Turbo Diesel (286mm Disc)	7/1998->/2001	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.5 Turbo Diesel (305mm Disc)	7/1998->/2001	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.5 Turbo Diesel (320mm Disc)	6/->/	F	1990		320	28	25	50	68	5	V	1970		AT
2.9 24v (286mm Disc)	7/1998->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.9 24v (305mm Disc)	7/1998->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
Rear Axle	7/1998->/2006	R	1973		288	12	10	65	68	5	S	1969		AT
T6 2.8 Twin Turbo	7/1998->/2006	F	1970		305	28	25	50.3	68	5	V	1970		AT
S80 II														
All models with 320mm discs	/2006->/	F	1990		320	28	25	50	68	5	V	1970		AT
All models with 336mm discs	/2006->/	F	1966		336	28	26	52	63.5	5	V			
Rear Axle - Electronic Parking Brake	/2006->/	R	1937		302	11	9	40.8	63.5	5	S			
Rear Axle - w/o Electronic Parking B	/2006->/	R	1939		302	12	10	69.2	63.5	5	S			
Rear Axle - vented -	/2006->/	R	1975		302	22	20	40.8	63.5	5	V			
V70 (00->)														
2.4 (286mm Disc)	1/->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 (305mm Disc)	1/->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo (286mm Disc)	1/->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 Turbo (305mm Disc)	1/->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo Diesel D5 (286mm Disc)	/2001->/	F	1920		286	26	23	50.3	68	5	V	1970		AT



MAKE	PERIOD	F/R	DISK	PRICE	A	B	C	D	E	F	V/S	PAD	PRICE	SYS
2.4 Turbo Diesel D5 (305mm Disc)	/2001->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo Diesel D5 4WD (286mm D)	/2001->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.4 Turbo Diesel D5 4WD (305mm D)	/2001->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.5 Turbo 4WD (286mm Disc)	/2002->/	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.5 Turbo 4WD (305mm Disc)	/2002->/	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.5 Turbo Diesel (286mm Disc)	1/->/2001	F	1920		286	26	23	50.3	68	5	V	1970		AT
2.5 Turbo Diesel (305mm Disc)	1/->/2001	F	1970		305	28	25	50.3	68	5	V	1970		AT
R 2.5 Turbo 4WD	/2003->/	F	1968		330	32	30	50.3	68	5	V	2603	34,000	BR
Rear Axle - solid -	1/2000->/2010	R	1973		288	12	10	65	68	5	S	1969		AT
Rear Axle - vented -	1/2000->/2010	R	1969		330	28	26	65	68	5	V	0097	13,000	AT
T5 2.3 Turbo (286mm Disc)	1/->/	F	1920		286	26	23	50.3	68	5	V	1995		AT
T5 2.3 Turbo (305mm Disc)	1/2000->/2010	F	1970		305	28	25	50.3	68	5	V	1995		AT
V70 (07->)														
All models with 16" wheels	/2010->/	F	0886		300	28	26	52	63.5	5	V	0886		AT
All models with 17" wheels	/2010->/	F	0344		316	28	26	52	63.5	5	V	0889		AT
All models with 18" wheels	/2010->/	F	1966		336	28	26	52	63.5	5	V			
Rear Axle - Electronic Parking Brake	/2006->/	R	1937		302	11	9	40.8	63.5	5	S			
Rear Axle - w/o Electronic Parking B	/2006->/	R	1939		302	12	10	69.2	63.5	5	S			
Rear Axle - vented -	/2006->/	R	1975		302	22	20	40.8	63.5	5	V			
XC60														
2.0 T	/2010->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
2.4 D	/2009->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
2.4 D AWD	/2008->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
3.2 AWD	/2010->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
D3	/2012->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
D5	/2011->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
D5 AWD	/2009->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
Rear Axle	/2008->/	R	1977		302	22	20	50.7	63.5	5	V	1977		LU
T5	/2010->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
T6 AWD	/2010->/	F	1976		328	30	28	58	63.5	5	V	1976		AT
XC70														
2.4 Turbo (15" wheels)	/->/2002	F	1920		286	26	23	50.3	68	5	V	TBA		
2.4 Turbo (16" wheels)	/->/2002	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.4 Turbo Diesel D5	/2002->/2007	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.5 Turbo	/2002->/2007	F	1970		305	28	25	50.3	68	5	V	1970		AT
2.5 Turbo (17" wheels)	/2002->/2007	F	1990		320	28	25	50	68	5	V	TBA		
Rear Axle - no AWD -	/2000->/2007	R	1973		288	12	10	65	68	5	S	1969		AT
Rear Axle -AWD -	/2000->/2007	R	1979		288	12	10	62	68	5	V	1969		AT
XC70 (07->)														
2.4 AWD	/2007->/	F	0886		300	28	26	52	63.5	5	V	0886		AT
2.4 D5 AWD	/2007->/	F	0886		300	28	26	52	63.5	5	V	0886		AT
3.2 D5 AWD	/2007->/	F	0886		300	28	26	52	63.5	5	V	0886		AT
All models with 18" wheels	/2010->/	F	1966		336	28	26	52	63.5	5	V			
Rear Axle - Electronic Parking Brake	/2007->/	R	1937		302	11	9	40.8	63.5	5	S			
Rear Axle - w/o E. Parking Brake -	/2007->/	R	1939		302	12	10	69.2	63.5	5	S			
Rear Axle -vented -	/2007->/	R	1975		302	22	20	40.8	63.5	5	V			
XC90														
2.4 D5 (16" wheels)	10/2002->/	F	1986		316	28	25	50.5	68	5	V	0889		AT
2.4 D5 (17" wheels)	10/2002->/	F	1982	71,000	336	30	27	51.5	68	5	V	0478	37,000	AT
2.5 Turbo (16" wheels)	10/2002->/	F	1986		316	28	25	50.5	68	5	V	0889		AT
2.5 Turbo (17" wheels)	10/2002->/	F	1982	71,000	336	30	27	51.5	68	5	V	1982		AT
Rear Axle	10/2002->/	R	1983	62,000	308	20	18	65	68	5	V	1983		AT
T6 2.9 Twin Turbo	10/2002->/	F	1982	71,000	336	30	27	51.5	68	5	V	0478	37,000	AT
XC90 MK2														
345mm discs	9/2014->/	F	1944		345	30	27.5	48	63.6	5	V	1944		AT
366mm discs	9/2014->/	F	1946		366	30	27.5	48	64	5	V			
Rear Axle - 320mm discs	9/2014->/	R	1945		320	20	17.5	43	63.6	5	V			